CUSTOMS AND EXCISE ACT, 1964. AMENDMENT OF SCHEDULE NO. 4 (NO. 4/2/389)

Date: 2018-08-10

In terms of section 75 of the Customs and Excise Act, 1964, Part 2 of Schedule No. 4 to the said Act is hereby amended to the extent set out in the Schedule hereto.

M GUNGUBELE DEPUTY MINISTER OF FINANCE

SCHEDULE

By the insertion of the following:

| Rebate Item | Tariff Heading | Rebate Code | CD | Description | Extent of Rebate |
|-------------|-------------------|-------------|----|---|--|
| 460.15 | 7208.36 | 01.06 | 66 | Other flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, in coils, not further worked than hot-rolled, of a thickness of 10 mm or more but not exceeding 12 mm, with a yield strength of 355 MPa or more but not exceeding 500 MPa and having an impact strength of 14 Joules or more but not exceeding 300 Joules at -20°C, at such times, in such quantities and subject to such conditions as the International Trade Administration Commission may allow by specific permit, provided the products are not available in the SACU market | Full duty in Schedule No. 1 and Schedule No. 2 |
| 460.15 | 7208.37 | 01.06 | 68 | Other flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, in coils, not further worked than hot-rolled, of a thickness of 5 mm or more but not exceeding 10 mm, with a yield strength of 355 MPa or more but not exceeding 500 MPa and having an impact strength of 14 Joules or more but not exceeding 300 Joules at -20°C, at such times, in such quantities and subject to such conditions as the International Trade Administration Commission may allow by specific permit, provided the products are not available in the SACU market | Full duty in Schedule No. 1 and Schedule No. 2 |
| 460.15 | 7208.5 | 13.05 | 52 | Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, not in coils, not further worked than hot-rolled, of a thickness of 2 mm or more but not exceeding 160 mm, with a yield strength of 460 MPa or more but not exceeding 960 MPa and having an impact strength of 27 Joules or more but not exceeding 300 Joules at -20°C or less but not less than -60°C, at such times, in such quantities and subject to such conditions as the International Trade Administration Commission may allow by specific permit, provided the products are not available in the SACU market | Full duty in Schedule No. 1 and Schedule No. 2 |
| 460.15 | 7208.5 | 14.05 | 57 | Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, not in coils, not further worked than hot-rolled, of a thickness of 2 mm or more but not exceeding 300 mm, with a yield strength of 200 MPa or more but not exceeding 500 MPa and having an impact strength of 27 Joules or more but not exceeding 350 Joules at -20°C, at such times, in such quantities and subject to such conditions as the International Trade Administration Commission may allow by specific permit, provided the products are not available in the SACU market | Full duty in Schedule No. 1 and Schedule No. 2 |
| 460.15 | 7208.5 | 15.05 | 51 | Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, not in coils, not further worked than hot-rolled, of a thickness not exceeding 160 mm, with a yield strength of 295 MPa or more but not exceeding 500 MPa and having an impact strength of 27 Joules or more but not exceeding 260 Joules at -20°C, at such times, in such quantities and subject to such conditions as the International Trade Administration Commission may allow by specific permit, provided the products are not available in the SACU market | Full duty in Schedule No. 1 and Schedule No. 2 |

By the insertion of the following:

| Rebate Item | Tariff Heading | Rebate Code | CD | Description | Extent of Rebate |
|-------------|-------------------|-------------|----|---|---|
| 460.15 | 7208.5 | 16.05 | 56 | Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, not in coils, not further worked than hot-rolled, of a thickness of 2 mm or more but not exceeding 160 mm, with a Brinell hardness of 380 HBW or more but not exceeding 460 HBW and having an impact strength of 15 Joules or more but not exceeding 200 Joules at -40°C, at such times, in such quantities and subject to such conditions as the International Trade Administration Commission may allow by specific permit, provided the products are not available in the SACU market | Full duty in Schedule No. 1 and Schedule No. 2 |
| 460.15 | 7208.5 | 17.05 | 50 | Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, not in coils, not further worked than hot-rolled, of a thickness of 2 mm or more but not exceeding 160 mm, with a Brinell hardness of 469 HBW or more but not exceeding 540 HBW and having an impact strength of 15 Joules or more but not exceeding 200 Joules at -40°C, at such times, in such quantities and subject to such conditions as the International Trade Administration Commission may allow by specific permit, provided the products are not available in the SACU market | Full duty in Schedule No. 1 and Schedule No. 2 |
| 460.15 | 7225.40 | 15.06 | 64 | Flat-rolled products of other alloy steel, of a width of 600 mm or more, not in coils, not further worked than hot-rolled, of a thickness of 2 mm or more but not exceeding 160 mm, with a yield strength of 460 MPa or more but not exceeding 960 MPa and having an impact strength of 27 Joules or more but not exceeding 300 Joules at -20°C or less but not less than -60°C, at such times, in such quantities and subject to such conditions as the International Trade Administration Commission may allow by specific permit, provided the products are not available in the SACU market | Full duty in Schedule No. 1 and Schedule No. 2 |
| 460.15 | 7225.40 | 16.06 | 64 | Flat-rolled products of other alloy steel, of a width of 600 mm or more, not in coils, not further worked than hot-rolled, of a thickness of 2 mm or more but not exceeding 160 mm, with a Brinell hardness of 380 HBW or more but not exceeding 460 HBW and having an impact strength of 15 Joules or more but not exceeding 200 Joules at -40°C, at such times, in such quantities and subject to such conditions as the International Trade Administration Commission may allow by specific permit, provided the products are not available in the SACU market | Full duty in Schedule No. 1 and Schedule No. 2 |
| 460.15 | 7225.40 | 17.06 | 69 | Flat-rolled products of other alloy steel, of a width of 600 mm or more, not in coils, not further worked than hot-rolled, of a thickness of 2 mm or more but not exceeding 160 mm, with a Brinell hardness of 469 HBW or more but not exceeding 540 HBW and having an impact strength of 15 Joules or more but not exceeding 200 Joules at -40°C, at such times, in such quantities and subject to such conditions as the International Trade Administration Commission may allow by specific permit, provided the products are not available in the SACU market | Full duty in Schedule No. 1 and Schedule No. 2 |
| 460.15 | 7225.40 | 18.06 | 63 | Flat-rolled products of other alloy steel, of a width of 600 mm or more, not in coils, not further worked than hot-rolled, of a thickness of 2 mm or more but not exceeding 300 mm, with a yield strength of 200 MPa or more but not exceeding 500 MPa and having an impact strength of 27 Joules or more but not exceeding 350 Joules at -20°C, at such times, in such quantities and subject to such conditions as the International Trade Administration Commission may allow by specific permit, provided the products are not available in the SACU market | Full duty in Schedule No. 1 and Schedule No. 2 |