

Last Revised: 30-10-2011

VISITOR'S SLEIGHBASE CHAIR

Code: CHAIR-05-S-X (where X = Fabric option)



Sleighbase
Visitors Chair

Back: Min 13mm laminated plywood with 20kg/cm3 foam. SABS 640-1976 complaint.

Arm rest from PVC cappings as integral part of frame. Capping removable by M6 T nuts for replacement.

Seat: Min 13mm laminated plywood with 50kg/cm3 foam with 250/280 neutons hardness factor.

Machine bent frame from tubular construction using 24.5mm diameter by 2.5mm wall thickness tubing.

PVC or molded nylon Tube caps to prevent scratching of floors.


CODE Description

CHAIR	05	S	X
CATEGORY	CATALOG NO	TYPE	FINISH

Barcode:

SARS issued barcode to be fixed to seat base metal plate before delivery to site.

FABRIC OPTIONS (Chair Backrest ONLY)



SUPPLIER: Weavers World

- 1) Life - Parchment (4514/13)
- 2) Life - Emerald (4514/34)
- 3) Life - Ruby (4514/15)
- 4) Smile - Linen (4512/13)
- 5) Smile - Shamrock (4512/34)
- 6) Smile - Cherry (4512/15)

Seat Fabric: Vulcan Black

<http://www.weaversworld.co.za>

Fabric label:

Fabric label
stitched to chair
indicating:
*Manufacturer
*Address
*Contact no.
*e-mail address



TECHNICAL DATA

Backrest:	Backrest (MidBack) to be covered with polyurethane 20kg/cm3 foam SABS 640-1976 complaint foam with min thickness of 50mm to backrest shell. Outer backrest shell to be covered in a 15mm thick layer of low density peeling foam stapled to the periphery of the shell. 480w x 600h, 500h from seat.
Seat:	Seat base to be covered with polyurethane foam with a minimum thickness of 70mm glued to the nylon or suitable alternative material base shell. 50kg/cm3 foam with 250/280 neutons hardness factor. 460w x 480d x 480h.
Arms:	Armrest frame is an integral part of the chairs rolled steel frame makeup. The arm rest is covered with a molded nylon or PVC "capping" which is removable via M6 into M6 T nut assembly fastening screws for replacement if damaged. 650 above FFL
Frame:	Min 80 micron black epoxy powder coated 24.5mm diameter mild steel frame - CNC machine bent and rolled. Frame to support a minimum weight of 130kg.
Supplier:	Embroidered fabric label fixed to side of backrest stating: Supplier, physical address and contact details.
Warranty & Design:	Unit to be supplied with MINIMUM 5 year Warranty under normal office usage conditions. The specifications as contained in this document are the minimum SARS requirements. Vendor to take design responsibility & ensure correct specifications