


FURNITURE SPECIFICATIONS

Last Revised: 23-05-2014

Top Retrieval 900w Filing Pedestal Code: FC-08-2



900w x 650d x 752h
2 drawer Top Retrieval unit




FINISH Vancouver Maple 688
CDL (Deccon) Lo-glare,
Glaze - Woodtext



**CLASS
E1 Board**




110% anti-tilt telescopic
extension from steel with
steel "Accurite" type bear-
ings.



Locking mech integral
part of anti-tilt mech
and runner design.

CAD Furniture Symbol:



NOTE:
Aesthetic cladding to match SARS
Furniture C.I. look and feel.

CODE Description

| | | |
|-----------|------------|------------|
| FC | 08 | 2 |
| CATEGORY | CATALOG NO | NO DRAWERS |

Barcode:

SARS to apply barcode -
not vendor.



Cradle: Drop in box.
Box containers to be
supplied by vendor.



Handle Finish:
SaddleWood

NOTE:

FC-08-2 may NOT be used for Executive
applications.

TECHNICAL INFORMATION

| | |
|----------------------|--|
| Dimensions: | Top: 900 x 650 x 752mm AFFL. Drawer System: 880w x 630d x 680h. 25mm adjustable height. |
| Frame: | Min 60 micron electrostatic epoxy powder coated precision engineered steel frame pre-cut & pre-punched for all fittings. Frame - not 'Aesthetic' carcass - to carry weight and stress loading of entire filing unit. Min 25mm high levelling device from 10mm dia steel bolt to each steel upright on each corner with injection moulded plastic feet to protect carpet. Metal base and top section. Frame strengthening as required. 3 part telescopic drawer extension mechanism with steel 'Accurite' type bearings to allow 110% extension with 'Anti-Tilt' function. Loading weight: min 93kg's per draw. Only 1 of 2 draws open at a time. Cradel type drawers from black epoxy powder coated 0.6mm steel sheet to support 'Optiplan' or similar or equal type drop in box holder. Pop riveted / spot welded to frame. |
| Drawers: | All aesthetic cladding from Class E1 FSC high-density particle board, top (non structural) 32mm with surface of 0.5mm Deccon CDL with overlay, all other components 16mm Class E1 FSC high-density particle board with surface of Melawood. 32mm shadowline at bottom. All parts not exposed / visible to get 0.2mm brown balanced backer. |
| Cladding: | Class E1 FSC Vancouver Maple CDL with 2mm maple finish flat edge high impact edging with straight joints. |
| Finish: | Saddlewood arch handles of 110mm length for opening, 2/drawer to ensure rugged operability (Gelmor or equal or similar). |
| Iron Mongery: | Internal central locking mechanism with removable barrel and masterkey designed as integral part of anti-tilt and drawer runner with 3 keys. |
| Locks: | Lock strip at top. Lock position centre of unit width. |
| Supplier: | Plasticised sticker fixed out of sight, stating: Supplier, physical address and contact details. |
| Warranty | Unit to be supplied with 8 year warranty under normal office usage conditions. The specifications as contained in this document are the minimum SARS requirements. Vendor to take design responsibility & ensure correct specifications |
| & Design: | |