

ANNEXURE B: MANDATORY RESPONSE FORM

Bidders must indicate whether they meet the below criteria or not by indicating YES or NO on the tick box

FORKLIFTS CAPABILITY	YES/NO
Capacity: 5 Ton	
Lift height: Minimum 5000mm	
Engine: Diesel Operated (Diesel Engine to conform to Environmental Sustainability, Carbon Emissions Reduction and Energy Efficiency regulations)	
Fork Length – minimum 1500mm to maximum 2000mm	
Load Centre - minimum 500mm	
Loading capacity – minimum 4000kg	
Forklift Movement: <ul style="list-style-type: none">• Forward• Reverse• 360 degrees Rotational (around its own axes)	
Full set of road ordinance lights	
Buzzer	
Reverse Light Alarm	
Tyre Type – Solids	
Side Shift	
Tilt – Forward and Reverse	
Overhead Guard	
Adjustable seat and safety belt	
LED (Orange) Strobe Light fitted to Top Roof Cage railing	
Minimum 2.5 Kg Fire Extinguisher Fitted	
Reflective Tape – Sides and Rear (in accordance with Road regulations)	
Load Test Certificate to be supplied on the date of Delivery	

Failure to comply with all the above mandatory requirements will results in immediate disqualification.