

**CUSTOMS AND EXCISE ACT, 1964-
AMENDMENT OF SCHEDULE NO. 1 (NO. 1/1/1061)**

Under section 48 of the Customs and Excise Act, 1964, Part 1 of Schedule No. 1 to the said Act is hereby amended, with retrospective effect to 1 January 2000, to the extent set out in the Schedule hereto.

M MPAHLWA
DEPUTY MINISTER OF FINANCE

SCHEDULE

Head=ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
07.03			By the substitution for subheading No. 0703.90 of the following:				
	“0703.90	5	- Leeks and other alliaceous vegetab=les	kg	15%	free	free”
08.01			By the substitution for subheading No. 0801.3 of the following:				
	“0801.3		- Cashew nuts:				
	0801.31	9	-- In shell	kg	4c/kg	free	free
	0801.32	5	-- Shelled	kg	4c/kg	free	free”
08.06			By the substitution for subheading No. 0806.20 of the following:				
	“0806.20	6	- Dried	kg	14%	free	free”
08.13			By the substitution for subheading No. 0813.20 of the following:				
	“0813.20	8	- Prunes	kg	15%	free	free”
12.12			By the substitution for subheadings Nos. 1212.91 and 1212.92 of the following:				
	“1212.91	0	-- Sugar beet	kg	20%	free	free
	1212.92	6	-- Sugar cane	kg	20%	free	free”

Head=ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
27.07	"2707.50	8	By the substitution for subheading No. 2707.50 of the following:	kg	11c/li	free	free"
			- Other aromatic hydrocarbon mix=tures of which 65 per cent or more by volume (including losses) distils at 250°C by the ASTM D 86-method				
49.08	".10	0	By the substitution for subheading No. 4908.10.10 of the following:	kg	5%	free	free"
			-- In rolls, of a width of 150 cm or more and a width of the printed area of 130 cm or more				
	".10	7	By the substitution for subheading No. 4908.90.10 of the following:	kg	5%	free	free"
			-- In rolls, of a width of 150 cm or more and a width of the printed area of 130 cm or more				
68.12	".90	8	By the substitution for subheading No. 6812.40.90 of the following:	kg	15%	free	free"
			-- Other				
70.13	".05	7	By the substitution for subheading No. 7013.10.05 of the following:	kg	15%	free	free"
			-- Ash trays				
	".90	1	By the substitution for subheading No. 7013.10.90 of the following:	kg	5%	free	free"
			-- Other				
	".90	7	By the substitution for subheading No. 7013.31.90 of the following:	kg	5%	free	free"
			--- Other				
	".90	3	By the substitution for subheading No. 7013.32.90 of the following:	kg	5%	free	free"
			--- Other				

Head=ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty			
					General	EU	SADC	
71.01	".90	8	By the substitution for subheading No. 7013.39.90 of the following: - - - Other	kg	5%	free	free"	
		".10	5	By the substitution for subheading No. 7101.10.10 of the following: - - Graded or temporarily strung for convenience of transport	kg	20%	free	free"
			6	By the substitution for subheading No. 7101.21.10 of the following: - - Graded or temporarily strung for convenience of transport	kg	20%	free	free"
71.12	".10	2	By the substitution for subheading No. 7101.22.10 of the following: - - Graded or temporarily strung for convenience of transport	kg	20%	free	free"	
		.	By the substitution for subheading No. 7112.90.10 of the following: - - Of plastics containing silver com= pounds	kg	15%	free	free"	
73.13	7313.00	7	By the substitution for subheading No. 73.13 of the following: Barbed wire of iron or steel; twis= ted hoop or single flat wire, barbed or not, and loosely twisted double wire, of a kind used for fencing, of iron or steel	kg	5%	free	free"	
73.14			By the substitution for subheading No. 7314.14.10 of the following: - - - Insect screening, being woven wire with 5 or more but not exceeding 7 apertures/cm in the warp as well as in the weft, woven from wire of a cross-sec= tional dimension not exceeding 0,32 mm	kg	5%	free	free"	

Head=ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
73.17	“.20	7	By the substitution for subheading No. 7314.19.20 of the following: - - - Insect screening, being woven wire materials with 5 or more but not exceeding 7 apertures/cm in the warp as well as in the weft, woven from wire of a cross-sectional dimension not exceeding 0,32 mm	kg	5%	free	free”
	“7314.20	1	By the substitution for subheadings Nos. 7314.20, 7314.3 and 7314.4 of the following: - Grill, netting and fencing, welded at the intersection, of wire with a maximum cross-sectional dimension of 3 mm or more and having a mesh size of 100 cm ² or more	kg	5%	free	free
	7314.3		- Other grill, netting and fencing, welded at the intersection:				
	7314.31	0	- - Plated or coated with zinc	kg	5%	free	free
	7314.39	1	- - Other	kg	5%	free	free
	7314.4		- Other cloth, grill, netting and fencing:				
	7314.41	5	- - Plated or coated with zinc	kg	5%	free	free
	7314.42	1	- - Coated with plastics	kg	5%	free	free
	7314.49	6	- - Other	kg	5%	free	free”
		“.10	9	By the substitution for subheading No. 7317.00.10 of the following: - Wire nails	kg	5%	free

Head=ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
74.08	"7408.21	8	By the substitution for subheading No. 7408.21 of the following: -- Of copper-zinc base alloys (brass)	kg	3%	free	free"
83.02			".10	0	By the substitution for subheading No. 8302.41.10 of the following: --- Fittings of iron, steel or copper, commonly used in the manufac= ture of windows, doors and door frames	kg	5%
	".10	7			By the substitution for subheading No. 8302.42.10 of the following: --- Fittings of iron, steel or copper, commonly used in the manufac= ture of doors and door frames	kg	5%
83.09			"8309.10	9	By the substitution for subheading No. 8309.10 of the following: - Crown corks	kg	5%
84.14	".70	2			By the substitution for subheading No. 8414.90.70 of the following: -- For ventilating fans (excluding that for fans identifiable for use with motor vehicle engines)	kg	5%
84.31			".50	7	By the substitution for subheading No. 8431.49.50 of the following: --- Picks, chisels, bits and the like and blanks thereof, suitable for coal cutting machinery	kg	4%
84.79	".31	9			By the substitution for subheading No. 8479.89.31 of the following: --- Other vacuum cleaners, electrical	kg	5%

Head=ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
					General	EU	SADC
85.01			By the substitution for subheading No. 8501.61.10 of the following:				
	“.10	9	-- Of an output not exceeding 25 kVA	u	5%	free	free”
85.03			By the substitution for subheading No. 8503.00.90 of the following:				
	“.90	1	- Other	u	5%	free	free”
85.04			By the substitution for subheadings Nos. 8504.50 and 8504.90 of the following:				
	“8504.50	2	- Other inductors	u	5%	free	free
	8504.90	0	- Parts	kg	5%	free	free”
85.06			By the substitution for subheading No. 8506.30.05 of the following:				
	“.05	1	-- Cylindrical, of an external volume exceeding 300 cm ³	u	10%	free	free”
			By the substitution for subheading No. 8506.30.25 of the following:				
	“.25	6	-- Other, cylindrical (excluding those of a height not exceeding 7 mm), of a diameter exceeding 19 mm	u	10%	free	free”
			By the substitution for subheadings Nos. 8506.40 and 8506.50 of the following:				
	“8506.40		- Silver oxide:				
	.05	6	-- Cylindrical, of an external volume ?	u	10%	free	free
	.10	2	-- Other, of a height not exceeding 7 mm	u	free	free	free
.25	0	-- Other, cylindrical (excluding those of a height not exceeding 7 mm), of a diameter exceeding 19 mm	u	10%	free	free	
.90	0	-- Other	u	20%	free	free	

Head= ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
	8506.50		- Lithium:				
	.05	0	-- Cylindrical, of an external volume exceeding 300 cm ³	u	10%	free	free
	.10	7	-- Other, of a height not exceeding 7 mm	u	free	free	free"
	.25	5	-- Other, cylindrical (excluding those of a height not exceeding 7 mm), of a diameter exceeding 19 mm	u	10%	free	free
	.90	5	-- Other	u	20%	free	free"
			By the substitution for subheadings Nos. 8506.60.25 and 8506.60.90 of the following:				
	“.25	5	-- Other, cylindrical (excluding those of a height not exceeding 7 mm), of a diameter exceeding 19 mm	u	10%	free	free
	.90	4	-- Other	u	20%	free	free"
85.09			By the substitution for subheading No. 8509.10.90 of the following:				
	“.90	8	-- Other	u	5%	free	free"
85.17			By the substitution for subheading No. 8517.2 of the following:				
	“8517.2		- Facsimile machines and teleprinters:				
	8517.21	9	-- Facsimile machines	u	5%	free	free
	8517.22	5	-- Teleprinters	u	5%	free	free"
			By the substitution for subheading No. 8517.80 of the following:				
	“8517.80	4	- Other apparatus	u	5%	free	free"

Head=ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty		
85.35			By the substitution for subheading No. 8535.10 of the following:				
	"8535.10	6	- Fuses	kg	5%	free	free"
			By the substitution for subheading No. 8535.21.30 of the following:				
	".30	9	--- With a current rating not exceeding 1 600 A, for a voltage exceeding 24 kV (AC) but not exceeding 36 kV (AC) and a breaking capacity rating exceeding 10 000 A but not exceeding 31 500 A (excluding those with moulded casings of plastics)	kg	5%	free	free"
			By the substitution for subheading No.8535.21.90 of the following:				
	".90	2	--- Other	kg	5%	free	free"
			By the substitution for subheading No. 8535.29 of the following:				
"8535.29	8	-- Other	kg	5%	vry	vry"	
		By the substitution for subheading No. 8535.30.90 of the following:					
".90	0	--- Other	kg	5%	free	free"	
		By the substitution for subheading No.8535.40 of the following:					
"8535.40	6	- Lightning arresters, voltage limiters and surge suppressors	kg	5%	free	free"	
		By the substitution for subheading No. 8535.90.90 of the following:					
".90	8	-- Other	kg	5%	free	free"	

Head=ing	Subheading	C D	Article Description	Statistical Unit	Rate of Duty										
85.36	".90	4	By the substitution for subheading No. 8536.30.90 of the following:	kg	5%	free	free"								
			-- Other												
	8536.41	.10	7	By the substitution for subheading No. 8536.4 of the following:	kg	5%	free	free							
				- Relays:											
				-- For a voltage not exceeding 60 V:											
				--- Earth leakage relays, with a sen= sitivity not exceeding 1 000 mA											
				--- Electro-magnetic and permanent magnet relays											
				--- Thermo-electric relays incorpo= rating bimetal elements											
				--- Other, of a value for dutypur= poses of R250 or more											
				--- Other											
				8536.49					.10	8	--- Other:	kg	5%	free	free
				--- Earth leakage relays, for a vol= tage not exceeding 660 V with a sensitivity not exceeding 1 000 mA											
				--- Electro-magnetic and permanent magnet relays											
--- Thermo-electric relays incorpo= rating bimetal elements															
8536.41	.20	4	--- Other, of a value for dutypur= poses of R250 or more	kg	5%	free	free								
			--- Other												
8536.41	.30	1	--- Other	kg	10%	10%	free								
			--- Other												
8536.41	.80	9	--- Other, of a value for dutypur= poses of R250 or more	kg	5%	free	free								
			--- Other												
8536.41	.90	6	--- Other	kg	10%	10%	free"								
			--- Other												

Head= ing	Subheadin g	C D	Article Description	Statistical Unit	Rate of Duty		
85.37	“.90	3	By the substitution for subheading No. 8536.50.90 of the following: -- Other	kg	5%	free	free”
		4	By the substitution for subheading No. 8536.61.90 of the following: --- Other	kg	5%	free	free”
85.40	“.90	5	By the substitution for subheading No. 8536.69.90 of the following: --- Other	kg	5%	free	free”
		3	By the substitution for subheading No. 8537.20.90 of the following: -- Other	kg	5%	free	free”
	“8540.9		By the substitution for subheading No. 8540.9 of the following: - Parts:				
	8540.91	3	-- Of cathode-ray tubes	kg	5%	free	free
	8540.99	4	-- Other	kg	5%	free	free”