

EXPLANATORY MEMORANDUM-TECHNICAL AMENDMENTS

TECHNICAL AMENDMENTS TO THE CUSTOMS AND EXCISE ACT, 1964

The draft amendments in Part 1 of Schedule No. 1 to the Customs and Excise Act, Act No. 91 of 1964 (the Act), are technical in nature and <u>will have no effect on the</u> <u>duty structure</u>. The amendments are mostly due to requests received from industry or other government agencies.

1. AMENDMENT OF PART 1 OF SCHEDULE NO. 1

1.1 Request from the F C Dubbelman and Associates on behalf of Lasher Tools for a separate tariff subheading for wheelbarrows

F.C Dubbelman & Associates on behalf of Lasher Tools submitted a request for the creation of a separate 8-digit tariff subheading for wheelbarrows. They motivated that as a result of the recent sunset review on the anti-dumping duty on wheelbarrows, which led to an increase of the duty, has resulted in circumvention by importers. The importers are using tariff subheading 8716.90.90 which is a residual subheading that provides for parts other than those specifically mentioned.

Importers are bringing in wheelbarrows unassembled and declaring them and parts. Therefore, the creation of a separate 8-digit tariff subheading for "parts of wheelbarrows" will enable the applicant to collect statistics.

The following subheading is inserted:

8716.90.30	Other, of wheelbarrows

1.2 Request from Commodity Trade Observer on behalf of the Association of Electric Cable Manufacturers of South Africa for the creation of separate tariff subheadings for certain cables



Commodity Trade Observer on behalf of the Association of Electric Cable Manufacturers of South Africa requested the creation of separate 8-digit tariff subheadings under headings 74.13, 76.14, 85.44 and 90.01. They motivated that the creation of the separate 8-digit tariff subheadings will enable them to ascertain the exact volumes and prices of the products in question. In turn this will ensure that public procurement guidelines and exemptions are sufficiently enforced and that locally manufactured goods are used in government projects.

It will further assist in gathering information on competition trends between the locally manufactured versus imported goods.

The following subheading is inserted:

7413.00.3	Cables, cordage and rope; electric wire or
	cable:
7413.00.31	Cables, not in coils and not
	incorporating wire that is surface treated
7413.00.39	Other
7614.90.05	With aluminium core
7614.90.10	With core of composite material
7614.90.90	Other
8544.49.2	Plastic insulated:
8544.49.21	For a voltage exceeding 80 V but not
	exceeding 300 V
8544.49.23	For a voltage exceeding 300 V but not
	exceeding 500 V
8544.49.29	For a voltage exceeding 500 V
8544.49.3	Rubber insulated:
8544.49.31	For a voltage exceeding 80 V but not
	exceeding 750 V
8544.49.39	For a voltage exceeding 750 V
8544.60.1	Paper insulated:



South African Revenue Service

exceeding 33 kV	8544.60.11	For a voltage exceeding 1 kV but not
exceeding 132 kV		exceeding 33 kV
## St44.60.19 For a voltage exceeding 132 kV ## St44.60.2 Plastic insulated: ## St44.60.21 For a voltage not exceeding 1,5 kV DC ## St44.60.22 Other, for a voltage exceeding 1 kV but not exceeding 3,3 kV ## St44.60.23 For a voltage exceeding 3,3 kV but not exceeding 33 kV ## St44.60.24 For a voltage exceeding 33 kV but not exceeding 132 kV ## St44.60.25 For a voltage exceeding 132 kV but not exceeding 275 kV ## St44.60.29 For a voltage exceeding 275 kV ## St44.60.31 For a voltage exceeding 1,5 kV DC ## St44.60.32 For a voltage not exceeding 1,5 kV DC ## St44.60.33 Other, for a voltage exceeding 1,1 kV but not exceeding 1,1 kV ## St44.60.34 For a voltage exceeding 3,3 kV ## St44.60.35 For a voltage exceeding 3,3 kV but not exceeding 33 kV ## St44.60.35 For a voltage exceeding 3,3 kV but not exceeding 132 kV ## St44.60.37 For a voltage exceeding 132 kV but not exceeding 275 kV ## St44.60.39 For a voltage exceeding 275 kV ## St44.60.30 Other, for a voltage exceeding 275 kV ## St44.60.39 For a voltage exceeding 275 kV ## St44.60.39 For a voltage exceeding 275 kV ## St44.60.30 Other, for a voltage exceeding 275 kV ## St44.60.30 Other, for a voltage exceeding 275 kV ## St44.60.30 Other, for a voltage exceeding 275 kV ## St44.60.30 Other, for a voltage exceeding 275 kV ## St44.60.30 Other, for a voltage exceeding 275 kV ## St44.60.30 Other, for a voltage exceeding 275 kV ## St44.60.30 Other, for a voltage exceeding 275 kV ## St44.60.30	8544.60.13	For a voltage exceeding 33 kV but not
## Plastic insulated: ## S544.60.21		exceeding 132 kV
S544.60.21	8544.60.19	For a voltage exceeding 132 kV
8544.60.22 Other, for a voltage exceeding 1 kV but not exceeding 3,3 kV 8544.60.23 For a voltage exceeding 3,3 kV but not exceeding 33 kV 8544.60.24 For a voltage exceeding 33 kV but not exceeding 132 kV 8544.60.25 For a voltage exceeding 132 kV but not exceeding 275 kV 8544.60.39 For a voltage exceeding 275 kV 8544.60.31 For a voltage exceeding 1,5 kV DC 8544.60.32 For a voltage exceeding 1 kV but not exceeding 1,1 kV but not exceeding 1,1 kV 8544.60.33 Other, for a voltage exceeding 3,3 kV 8544.60.34 For a voltage exceeding 3,3 kV but not exceeding 33 kV 8544.60.35 For a voltage exceeding 33 kV but not exceeding 132 kV 8544.60.37 For a voltage exceeding 132 kV but not exceeding 132 kV 8544.60.39 For a voltage exceeding 132 kV but not exceeding 275 kV 8544.60.39 For a voltage exceeding 275 kV 9001.10.1 Optical fibre: 9001.10.11 Of glass Of plastic	8544.60.2	Plastic insulated:
exceeding 3,3 kV	8544.60.21	For a voltage not exceeding 1,5 kV DC
8544.60.23 For a voltage exceeding 3,3 kV but not exceeding 33 kV 8544.60.24 For a voltage exceeding 33 kV but not exceeding 132 kV 8544.60.25 For a voltage exceeding 132 kV but not exceeding 275 kV 8544.60.39 For a voltage exceeding 275 kV 8544.60.31 For a voltage not exceeding 1,5 kV DC 8544.60.32 For a voltage exceeding 1 kV but not exceeding 1,1 kV 8544.60.33 Other, for a voltage exceeding 1,1 kV but not exceeding 3,3 kV 8544.60.34 For a voltage exceeding 3,3 kV but not exceeding 33 kV 8544.60.35 For a voltage exceeding 3,3 kV but not exceeding 33 kV 8544.60.35 For a voltage exceeding 33 kV but not exceeding 132 kV 8544.60.37 For a voltage exceeding 132 kV but not exceeding 275 kV 8544.60.39 For a voltage exceeding 275 kV 9001.10.11 Optical fibre: 9001.10.11 Of glass 9001.10.15	8544.60.22	Other, for a voltage exceeding 1 kV but not
exceeding 33 kV		exceeding 3,3 kV
## S44.60.24 For a voltage exceeding 33 kV but not exceeding 132 kV exceeding 132 kV but not exceeding 275 kV ## S544.60.29 For a voltage exceeding 275 kV ## S544.60.31 For a voltage exceeding 1,5 kV DC ## S44.60.32 For a voltage exceeding 1,5 kV DC ## For a voltage exceeding 1,1 kV but not exceeding 1,1 kV but not exceeding 3,3 kV but not exceeding 3,3 kV but not exceeding 3,3 kV but not exceeding 33 kV ## S544.60.35 For a voltage exceeding 3,3 kV but not exceeding 132 kV ## For a voltage exceeding 132 kV but not exceeding 132 kV ## For a voltage exceeding 132 kV but not exceeding 275 kV ## For a voltage exceeding 275 kV ## For a voltage exceeding 275 kV ## S544.60.39 For a voltage exceeding 275 kV ## S644.60.39 For a voltage exce	8544.60.23	For a voltage exceeding 3,3 kV but not
exceeding 132 kV		exceeding 33 kV
For a voltage exceeding 132 kV but not exceeding 275 kV 8544.60.29 For a voltage exceeding 275 kV 8544.60.3 Rubber insulated: For a voltage not exceeding 1,5 kV DC 8544.60.32 For a voltage exceeding 1 kV but not exceeding 1,1 kV 8544.60.33 Other, for a voltage exceeding 1,1 kV but not exceeding 3,3 kV 8544.60.34 For a voltage exceeding 3,3 kV but not exceeding 33 kV 8544.60.35 For a voltage exceeding 33 kV but not exceeding 132 kV 8544.60.37 For a voltage exceeding 132 kV but not exceeding 275 kV 8544.60.39 For a voltage exceeding 275 kV 9001.10.1 Optical fibre: 9001.10.11 Of glass 9001.10.15	8544.60.24	For a voltage exceeding 33 kV but not
exceeding 275 kV		exceeding 132 kV
Source S	8544.60.25	For a voltage exceeding 132 kV but not
8544.60.3 Rubber insulated: 8544.60.31 For a voltage not exceeding 1,5 kV DC 8544.60.32 For a voltage exceeding 1 kV but not exceeding 1,1 kV 8544.60.33 Other, for a voltage exceeding 1,1 kV but not exceeding 3,3 kV 8544.60.34 For a voltage exceeding 3,3 kV but not exceeding 33 kV 8544.60.35 For a voltage exceeding 33 kV but not exceeding 132 kV 8544.60.37 For a voltage exceeding 132 kV but not exceeding 275 kV 8544.60.39 For a voltage exceeding 275 kV 9001.10.1 Optical fibre: 9001.10.11 Of glass 9001.10.15 Of plastic		exceeding 275 kV
8544.60.31 For a voltage not exceeding 1,5 kV DC 8544.60.32 For a voltage exceeding 1 kV but not exceeding 1,1 kV 8544.60.33 Other, for a voltage exceeding 1,1 kV but not exceeding 3,3 kV 8544.60.34 For a voltage exceeding 3,3 kV but not exceeding 33 kV 8544.60.35 For a voltage exceeding 33 kV but not exceeding 132 kV 8544.60.37 For a voltage exceeding 132 kV but not exceeding 275 kV 8544.60.39 For a voltage exceeding 275 kV 9001.10.1 Optical fibre: 9001.10.11 Of glass 9001.10.15 Of plastic	8544.60.29	For a voltage exceeding 275 kV
For a voltage exceeding 1 kV but not exceeding 1,1 kV 8544.60.33 Other, for a voltage exceeding 1,1 kV but not exceeding 3,3 kV For a voltage exceeding 3,3 kV but not exceeding 33 kV 8544.60.35 For a voltage exceeding 33 kV but not exceeding 132 kV but not exceeding 132 kV 8544.60.37 For a voltage exceeding 132 kV but not exceeding 275 kV 8544.60.39 For a voltage exceeding 275 kV Optical fibre: 9001.10.11 Of glass 9001.10.15 Of plastic	8544.60.3	Rubber insulated:
exceeding 1,1 kV 8544.60.33 Other, for a voltage exceeding 1,1 kV but not exceeding 3,3 kV For a voltage exceeding 3,3 kV but not exceeding 33 kV 8544.60.35 For a voltage exceeding 33 kV but not exceeding 132 kV 8544.60.37 For a voltage exceeding 132 kV but not exceeding 275 kV 8544.60.39 For a voltage exceeding 275 kV 9001.10.1 Optical fibre: 9001.10.11 Of glass 9001.10.15 Of plastic	8544.60.31	For a voltage not exceeding 1,5 kV DC
8544.60.33 Other, for a voltage exceeding 1,1 kV but not exceeding 3,3 kV 8544.60.34 For a voltage exceeding 3,3 kV but not exceeding 33 kV 8544.60.35 For a voltage exceeding 33 kV but not exceeding 132 kV 8544.60.37 For a voltage exceeding 132 kV but not exceeding 275 kV 8544.60.39 For a voltage exceeding 275 kV 9001.10.1 Optical fibre: 9001.10.11 Of glass 9001.10.15 Of plastic	8544.60.32	For a voltage exceeding 1 kV but not
not exceeding 3,3 kV 8544.60.34 For a voltage exceeding 3,3 kV but not exceeding 33 kV 8544.60.35 For a voltage exceeding 33 kV but not exceeding 132 kV 8544.60.37 For a voltage exceeding 132 kV but not exceeding 275 kV 8544.60.39 For a voltage exceeding 275 kV 9001.10.1 Optical fibre: 9001.10.11 Of glass 9001.10.15 Of plastic		exceeding 1,1 kV
8544.60.34 For a voltage exceeding 3,3 kV but not exceeding 33 kV 8544.60.35 For a voltage exceeding 33 kV but not exceeding 132 kV 8544.60.37 For a voltage exceeding 132 kV but not exceeding 275 kV 8544.60.39 For a voltage exceeding 275 kV 9001.10.1 Optical fibre: 9001.10.11 Of glass 9001.10.15 Of plastic	8544.60.33	Other, for a voltage exceeding 1,1 kV but
exceeding 33 kV 8544.60.35 For a voltage exceeding 33 kV but not exceeding 132 kV 8544.60.37 For a voltage exceeding 132 kV but not exceeding 275 kV 8544.60.39 For a voltage exceeding 275 kV 9001.10.1 Optical fibre: 9001.10.11 Of glass 9001.10.15 Of plastic		not exceeding 3,3 kV
8544.60.35 For a voltage exceeding 33 kV but not exceeding 132 kV 8544.60.37 For a voltage exceeding 132 kV but not exceeding 275 kV 8544.60.39 For a voltage exceeding 275 kV Optical fibre: 9001.10.11 Of glass 9001.10.15 Of plastic	8544.60.34	For a voltage exceeding 3,3 kV but not
exceeding 132 kV		exceeding 33 kV
8544.60.37 For a voltage exceeding 132 kV but not exceeding 275 kV 8544.60.39 For a voltage exceeding 275 kV 9001.10.1 Optical fibre: 9001.10.11 Of glass 9001.10.15 Of plastic	8544.60.35	For a voltage exceeding 33 kV but not
exceeding 275 kV 8544.60.39 For a voltage exceeding 275 kV 9001.10.1 Optical fibre: 9001.10.11 Of glass 9001.10.15 Of plastic		exceeding 132 kV
8544.60.39 For a voltage exceeding 275 kV 9001.10.1 Optical fibre: 9001.10.11 Of glass 9001.10.15 Of plastic	8544.60.37	For a voltage exceeding 132 kV but not
9001.10.1 Optical fibre: 9001.10.11 Of glass 9001.10.15 Of plastic		exceeding 275 kV
9001.10.11 Of glass 9001.10.15 Of plastic	8544.60.39	For a voltage exceeding 275 kV
9001.10.15 Of plastic	9001.10.1	Optical fibre:
·	9001.10.11	Of glass
9001.10.19 Other	9001.10.15	Of plastic
	9001.10.19	Other



South African Revenue Service

9001.10.2	Optical fibre bundles:
9001.10.21	Of glass
9001.10.25	Of plastic
9001.10.29	Other
9001.10.3	Optical fibre cables:
9001.10.31	Not containing metal
9001.10.35	Containing metal casing
9001.10.39	Other

The following subheadings are substituted:

7614.90	Other:
9001.10	Optical fibres, optical fibre bundles and
	cables:

The following subheadings are deleted:

3004.20.90	Other
7413.00.30	Cables, cordage and rope; electric wire or
	cable
8544.60.10	Paper insulated
8544.60.20	Plastic insulated
8544.60.30	Rubber insulated

1.3 Other miscellaneous amendment

The opportunity is used to make corrections in Chapters 30 and 70. Tariff subheading 3004.20.90 was erroneously omitted under deletions when the structure was expanded on 1 January 2018. Currently there are two subheading that provides for the residual "other" under tariff subheadings 3004.20.90and 3004.20.99.

Tariff subheading 7005.29.55, 7005.29.65 and 7005.29.85 provide for other glass, excluding solar glass and optical glass. However, the reference to solar glass was erroneously omitted from the exclusion on the descriptions of the three subheadings.



2. AMENDMENT OF SCHEDULE NO. 4

Rebate item 460.18/9001.10/01.06 that provide for optical fibre is deleted and a new item 460.18/9001.10.19/01.08 in Part 2 of Schedule No. 4 is inserted as a consequence to the amendment in Part 1 of Schedule No. 1.

3. AMENDMENT OF SCHEDULE NO. 5

In 2021 an amendment to delete rebate provisions pertaining to the goods for personal or official use by the President and his family was implemented. Refund items 540.01/195.10/0105, 540.01/195.10/02.05 and 540.01/195.20/01.05 provide for the refund of distillate fuel and biodiesel used by the President. These refund items were erroneously left out from the deletions. An opportunity is now taken to delete these refunds items.